



TOP VIEW




LEFT SIDE VIEW



FRONT VIEW



RIGHT SIDE VIEW



REAR VIEW

BREAKER SIZES AVAILABLE

1 AMP
2.5 AMPS
5 AMPS
7.5 AMPS
10 AMPS
15 AMPS
20 AMPS
30 AMPS
35 AMPS
40 AMPS
50 AMPS
60 AMPS


NOTES:

1. THE CBP-12 DISTRIBUTES UP TO 350A (175A PER BUS) IN THE DUAL BUS CONFIGURATION.
2. BREAKER CAPACITIES RANGE FROM 1 AMP TO 60 AMPS PER POSITION. (SEE TABLE ON LEFT)
3. BREAKERS **CANNOT** BE ADDED OR REPLACED IN THE FIELD AND SIZES MUST BE SPECIFIED AT TIME OF ORDER.
4. EACH BUS IS EQUIPPED WITH A BREAKER ALARM SWITCH INCLUDES A SET OF FORM C (SPDT) CONTACTS AND INDICATOR LED'S.
5. THE "XX" IN THE MODEL NUMBER REPRESENTS THE AMOUNT OF BREAKERS PER BUS. EXAMPLE: A FULL PANEL WITH (6) BREAKERS PER BUS WOULD BE A "90212-24-06", A PANEL WITH (5) BREAKERS PER BUS WOULD BE A "90212-24-05", ETC.


90212-24-XX			
1RU DUAL BUS TELECOM BREAKER PANEL			
--			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF C&C POWER, INC. ANY REPRODUCTION WITHOUT THE WRITTEN CONSENT OF C&C POWER, INC IS PROHIBITED.			
DIMENSIONS ARE IN INCHES		INITIALS	DATE
TOLERANCES:	DECIMALS: .XX ±.13	DRAWN PJC	5/10/2016
ANGLES:	.XXX ±.082	CHECKED CH	5/10/2016
SCALE: NTS	SIZE: A	REV: 1	SHEET 1 OF 1

C&C POWER
ENGINEERED POWER PRODUCTS
 WWW.CCPower.COM
 © 2016 C&C POWER, INC.
 ALL RIGHTS RESERVED


DRAWING #: 90212-14-XX-SD01 REV.1



TOP VIEW




LEFT SIDE VIEW



FRONT VIEW



RIGHT SIDE VIEW



REAR VIEW

BREAKER SIZES AVAILABLE

1 AMP
2.5 AMPS
5 AMPS
7.5 AMPS
10 AMPS
15 AMPS
20 AMPS
30 AMPS
35 AMPS
40 AMPS
50 AMPS
60 AMPS

NOTES:

1. THE CBP-12 DISTRIBUTES UP TO 175A IN THE DUAL BUS CONFIGURATION.
2. BREAKER CAPACITIES RANGE FROM 1 AMP TO 60 AMPS PER POSITION. (SEE TABLE ON LEFT)
3. BREAKERS **CANNOT** BE ADDED OR REPLACED IN THE FIELD AND SIZES MUST BE SPECIFIED AT TIME OF ORDER.
4. THE BUS IS EQUIPPED WITH A BREAKER ALARM SWITCH INCLUDES A SET OF FORM C (SPDT) CONTACTS AND INDICATOR LED'S.
5. THE "XX" IN THE MODEL NUMBER REPRESENTS THE AMOUNT OF BREAKERS IN THE SYSTEM. EXAMPLE: A FULL PANEL WITH (12) BREAKERS WOULD BE A "90212-24-12", A PANEL WITH (6) BREAKERS WOULD BE A "90212-24-06", ETC.

90212-14-XX			
1RU SINGLE BUS TELECOM BREAKER PANEL			
--			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF C&C POWER, INC. ANY REPRODUCTION WITHOUT THE WRITTEN CONSENT OF C&C POWER, INC IS PROHIBITED.			
DIMENSIONS ARE IN INCHES		INITIALS	DATE
TOLERANCES:		DRAWN PJC	5/10/2016
DECIMALS: .XX ±.13	ANGLES: ±1°	CHECKED CH	5/10/2016
XXX ±.082			
SCALE: NTS	SIZE: A	REV: 1	SHEET 1 OF 1

C&C POWER
 ENGINEERED POWER PRODUCTS
 WWW.CCPower.COM
 © 2016 C&C POWER, INC.
 ALL RIGHTS RESERVED